Notice of Allowability	Application No.	Applicant(s)
	10/646,542	NIIHARA ET AL.
	Examiner	Art Unit
	Cam N. Nguyen	1754
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTQL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED i) or other appropriate comm RIGHTS. This application is	n this application. If not included
1. 🔀 This communication is responsive to an amendment/responsive	onse filed on 7/12/07.	
2. X The allowed claim(s) is/are 21-24, 26, & 28-39 (which have	re been renumbered 1-17).	
 Acknowledgment is made of a claim for foreign priority u a)	e been received. e been received in Applicatio	on No
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file MENT of this application.	e a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv	nitted. Note the attached EX. es reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE OF r declaration is deficient.
 5. CORRECTED DRAWINGS (as "replacement sheets") mu (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR reach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet(s) should be labeled as such in a deach sheet. Replacement sheet sheet. 	son's Patent Drawing Review 's Amendment / Comment on the second of the	r in the Office action of he drawings in the front (not the back) of FR 1.121(d). ERIAL must be submitted. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948)	<u> </u>	formal Patent Application
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No.	ummary (PTO-413), /Mail Date <i>8/15/07</i> . Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		Statement of Reasons for Allowance CAMNAGUYEN PRIMARY EXAMINER #U-1754

Art Unit: 1754

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney/Agent *Mr. Michael J. Schmidt* on *August 15, 2007*.

The application has been amended as follows:

In the Claim

Claim 34, line 2, "claim 30" has been changed to recite --claim 33--.

Citations

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892 Form prepared.

Conclusion

3. Claims 21-24, 26, & 28-39 are pending. Claims 21-24, 26, & 28-39 are allowed.

Contacts

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Primary Examiner Cam N Nguyen, whose telephone number is

Application/Control Number: 10/646,542

Art Unit: 1754

571-272-1357. The examiner can normally be reached on M-F, 9:00 AM - 6:30 PM, at

alternative work site.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Stanley Silverman, can be reached on 571-272-1358. The fax phone number for the

Page 3

organization where this application or proceeding is assigned is 571-272-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Cam N. Nguyen/

Nguyen/cnn

Primary Examiner

August 15, 2007

Art Unit: 1754